

## cancer.org | 1.800.227.2345

## Chronic Myelomonocytic Leukemia Causes, Risk Factors, and Prevention

Learn about the risk factors for chronic myelomonocytic leukemia and if there are things you might be able to do to help lower your risk.

#### **Risk Factors**

A risk factor is anything that affects your chance of getting a disease such as cancer. Learn more about the risk factors for chronic myelomonocytic leukemia.

- What Are the Risk Factors for Chronic Myelomonocytic Leukemia?
- Do We Know What Causes Chronic Myelomonocytic Leukemia?

#### **Prevention**

There is no way to prevent most cases of CMML. Rarely, CMML is caused by chemotherapy and radiation treatments for other cancers. Doctors are studying ways to minimize the risk for patients receiving these treatments by avoiding the chemotherapy drugs that are more likely to lead to CMML.

# What Are the Risk Factors for Chronic Myelomonocytic Leukemia?

- Age
- Sex
- Cancer treatment

A risk factor is anything that changes your chance of getting a disease such as cancer. Different cancers have different risk factors. For example, exposing skin to strong sunlight is a risk factor for skin cancer. Smoking is a risk factor for lung cancer and many other cancers. But people without any risk factors can still get the disease. And having a risk factor, or even several, does not mean that you will get the disease. Because chronic myelomonocytic leukemia (CMML) is rare, it has been hard to study. For a long time it was grouped with <a href="myelodysplastic syndromes">myelodysplastic syndromes</a>. As a result, only a few risk factors are known for this disease.

### Age

The risk of CMML increases with age. This disease is rare in those younger than 40, with most cases found in people 60 and older.

#### Sex

In general, leukemia is more common in men than women. This includes CMML that is about twice as common in men as in women. The reason for this is not clear.

#### **Cancer treatment**

Prior treatment with <u>chemotherapy</u><sup>2</sup> seems to increase the risk of CMML. The risk of CMML after cancer chemotherapy, however, is not as high as the risk of other blood problems, such as myelodysplastic syndromes and acute myeloid leukemia. <u>Second Cancers in Adults</u><sup>3</sup> has more information on this.

## **Hyperlinks**

- 1. www.cancer.org/cancer/types/myelodysplastic-syndrome.html
- 2. www.cancer.org/cancer/managing-cancer/treatment-types/chemotherapy.html
- 3. <u>www.cancer.org/cancer/survivorship/long-term-health-concerns/second-cancers-in-adults.html</u>

# Do We Know What Causes Chronic Myelomonocytic Leukemia?

rapidly.

Human DNA is packaged in 23 pairs of chromosomes. In up to half of patients, CMML cells contain altered chromosomes. Sometimes part of one chromosome attaches to a different chromosome. This is called a *translocation*. Like mutations, translocations can turn on oncogenes or turn off tumor suppressor genes. Acquired translocations are seen in some cases of CMML. Another chromosome abnormality that can be seen in CMML is called a deletion. This involves the loss of all or part of a chromosome. Another type of chromosome abnormality is called a *duplication*. This is when there is an extra copy of all or part of a chromosome.

## **Hyperlinks**

1. www.cancer.org/cancer/types/chronic-myelomonocytic-leukemia/references.html

#### References

See all references for Chronic Myelomonocytic Leukemia

Last Revised: October 25, 2017

## Can Chronic Myelomonocytic Leukemia Be Prevented?

Since most cases of chronic myelomonocytic leukemia (CMML) have no known cause, this disease can rarely be prevented.

Treating cancer with chemotherapy and radiation may cause CMML. Doctors are studying ways to minimize the risk of CMML developing in patients receiving these treatments. In some cancers, doctors may try to avoid using the chemotherapy drugs that are more likely to lead to CMML. For certain cancers, however, these drugs may be needed. Often, the obvious benefits of treating life-threatening cancers with

chemotherapy and radiation therapy must be balanced against the small chance of developing CMML several years later.

## **Hyperlinks**

1. www.cancer.org/cancer/types/chronic-myelomonocytic-leukemia/references.html

### References

See all references for Chronic Myelomonocytic Leukemia

Last Revised: October 25, 2017

## Written by

The American Cancer Society medical and editorial content team <u>S4j 1 0 0 1 72 400.3 Tm 0 0.2 0.62745 rg-48Tm 0 0.2 0.62745 rg-48Tm 0</u> 0.2 0.67/s.html