

After Soft Tissue Sarcoma Treatment

Get information about how to live well after soft tissue sarcoma treatment and make decisions about next steps.

Living as a Cancer Survivor

For many people, cancer treatment often raises questions about next steps as a survivor.

· Living as a Soft Tissue Sarcoma Survivor

Cancer Concerns After Treatment

Treatment may remove or destroy the cancer, but it's very common to have questions about cancer coming back or treatment no longer working.

Second Cancers After Soft Tissue Sarcoma

Living as a Soft Tissue Sarcoma Survivor

- Follow-up care
- Keeping health insurance and copies of your medical records
- Can I lower my risk of soft tissue sarcoma progressing or coming back?

- If the cancer comes back
- Could I get a second cancer after treatment?
- Getting emotional support

For some people with soft tissue sarcoma, treatment may remove or destroy the cancer. Completing treatment can be both stressful and exciting. You may be relieved to finish treatment, but find it hard not to worry about cancer coming back. This is a very common if you've had cancer.

For other people, the cancer may never go away completely. They might get regular <u>treatments</u>

Ask your doctor for a survivorship care plan

Talk with your doctor about developing a <u>survivorship care plan</u>⁵ for you. This plan might include:

- A suggested schedule for follow-up exams and tests
- A schedule for other tests you might need in the future, such as early detection (screening) tests for other types of cancer, or tests to look for long-term health effects from your cancer or its treatment
- A list of possible late- or long-term side effects from your treatment, including what to watch for and when you should contact your doctor
- Diet and physical activity suggestions
- Reminders to keep your appointments with your primary care provider (PCP), who will monitor your general health care

Keeping health insurance and copies of your medical records

Even after treatment, it's very important to keep health insurance. Tests and doctor visits cost a lot, and even though no one wants to think of their cancer coming back, this could happen.

At some point after your cancer treatment, you might see a new doctor who doesn't know your medical history. It's important to keep copies of your medical records to be able to give your new doctor the details of your diagnosis and treatment. Learn more in Keeping Copies of Important Medical Records⁶.

Can I lower my risk of soft tissue sarcoma progressing or coming back?

If you have (or have had) a soft tissue sarcoma, you probably want to know if there are things you can do that might lower your risk of the cancer growing or coming back, such as exercising, eating a certain type of diet, or taking nutritional supplements. Unfortunately, it's not yet clear if there are things you can do that will help.

Adopting healthy behaviors such as <u>not smoking</u>⁷, <u>eating well</u>⁸, <u>getting regular physical</u> <u>activity</u>⁹, and <u>staying at a healthy weight</u>¹⁰ might help, but no one knows for sure. However, we do know that these types of changes can have positive effects on your health that can extend beyond your risk of soft tissue sarcoma or other cancers.

About dietary supplements

So far, no <u>dietary supplements</u>¹¹ (including vitamins, minerals, and herbal products) have been shown to clearly help lower the risk of soft tissue sarcoma progressing or coming back. This doesn't mean that no supplements will help, but it's important to know that none have been proven to do so.

Dietary supplements are not regulated like medicines in the United States – they do not have to be proven effective (or even safe) before being sold, although there are limits on what they're allowed to claim they can do. If you're thinking about taking any type of nutritional supplement, talk to your health care team. They can help you decide which ones you can use safely while avoiding those that might be harmful.

If the cancer comes back

If the cancer does recur at some point, your treatment options will depend on where the cancer is located, what treatments you've had before, and your health. For more information on how recurrent cancer is treated, see Treatment of Soft Tissue Sarcomas, by Stage.

For more general information on recurrence, you may also want to see <u>Understanding</u> <u>Recurrence</u>¹².

Could I get a second cancer after treatment?

People who've had a soft tissue sarcoma can still get other cancers. In fact, sarcoma survivors are at higher risk for getting some other types of cancer. Learn more in Second Cancers After Soft Tissue Sarcoma

Getting emotional support

Some amount of feeling <u>depressed</u>, anxious, or worried¹³ is normal when cancer is a

- 1. www.cancer.org/cancer/types/soft-tissue-sarcoma/treating.html
- 2. <u>www.cancer.org/cancer/survivorship/long-term-health-concerns/cancer-as-a-chronic-illness.html</u>
- 3. www.cancer.org/cancer/survivorship/long-term-health-concerns/cancer-as-achronic-illness.html
- 4. <u>www.cancer.org/cancer/diagnosis-staging/tests.html</u>
- 5. <u>www.cancer.org/cancer/diagnosis-staging/tests/imaging-tests/imaging-radiology-tests-for-cancer.html</u>
- 6. <u>www.cancer.org/cancer/survivorship/long-term-health-concerns/survivorship-care-plans.html</u>
- 1f (4.)Tj E7. @vww.2a0.62745/R&i 0e7/5 w5900s3341/523387e438b331t5230hSetr@/keep0ir0j2:0j62345-RG 0.75 w590 important-medical-records.html
 - 8. www.cancer.org/cancer/risk-prevention/tobacco.html

Second Cancers After Soft Tissue Sarcoma

• Follow-up after treatment

Cancer survivors can be affected by a number of health problems, but often their greatest concern is facing cancer again. If a cancer comes back after treatment it is called a *recurrence*. But some cancer survivors may develop a new, unrelated cancer later. This is called a *second cancer*. No matter what type of cancer you have had, it's still possible to get another (new) cancer, even after surviving the first.

Unfortunately, being treated for cancer doesn't mean you can't get another cancer. People who have had cancer can still get the same types of cancers that other people get. In fact, certain types of cancer and cancer treatments can be linked to a higher risk of certain second cancers.

Survivors of soft tissue sarcoma can get any type of second cancer, but they have an increased risk of these cancers, depending on where the tumor was and the type of treatment used:

- A second soft-tissue sarcoma (this is different than the first one coming back)
- Bone cancer¹
- <u>Stomach cancer²</u>
- Thyroid cancer³
- Melanoma of the skin⁴
- <u>Acute myeloid leukemia (AML)⁵</u>

Some second bone cancers may be due to treatment with radiation therapy. Radiation and chemotherapy likely contribute to the cases of leukemia.

Follow-up after treatment

After treatment for soft tissue sarcoma, you should still see your doctor regularly. Tests will be done to look for signs the cancer has come back or spread. But experts do not recommend any additional testing to look for second cancers in patients without symptoms. Let your doctor know about any new symptoms or problems, because they could be caused by the cancer coming back, by a new disease, or by a second cancer.

Patients who have completed treatment should follow the <u>American Cancer Society</u> guidelines for the early detection of cancer⁶.

The Children's Oncology Group has guidelines for the follow-up of patients treated for cancer as a child, teen, or young adult, including screening for second cancers. These can be found at <u>www.survivorshipguidelines.org</u>⁷.

All survivors of soft tissue sarcoma should avoid tobacco smoke, as smoking increases the risk of many cancers, as well as other health problems.

To <u>help maintain good health⁸</u>, survivors should also:

- Get to and stay at a healthy weight
- Keep physically active and limit the time you spend sitting or lying down
- Follow a healthy eating pattern that includes plenty of fruits, vegetables, and whole grains, and limits or avoids red and processed meats, sugary drinks, and highly processed foods
- Not drink <u>alcohol⁹</u>. If you do drink, have no more than 1 drink per day for women or 2 per day for men

These steps may also lower the risk of some other health problems.

See <u>Second Cancers in Adults</u>¹⁰ for more information.

cancer.html

10. <u>www.cancer.org/cancer/survivorship/long-term-health-concerns/second-cancers-in-adults.html</u>

References

Rock CL, Thomson C, Gansler T, et al. American Cancer Society guideline for diet and physical activity for cancer prevention. *CA: A Cancer Journal for Clinicians.* 2020;70(4). doi:10.3322/caac.21591. Accessed at https://onlinelibrary.wiley.com/doi/full/10.3322/caac.21591 on June 9, 2020.

Last Revised: June 9, 2020

Written by

The American Cancer Society medical and editorial content team (<u>https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html</u>)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/aboutus/policies/content-usage.html).

cancer.org | 1.800.227.2345